

ABOUT COMPANY

Carepoint is an international paintless dent removal company that was established 20 years ago. Currently Carepoint is represented in Germany, Russia, Ukraine, United States, Great Britain, Japan, Australia, Turkey, Georgia, Poland, Latvia and is planning to open centers in other countries.

Our historical roots go back to the 80s. At that time one of Carepoint founders was working at Volkswagen factory in Wolfsburg (Germany). He thoroughly studied paintless dent removal technology trying to find ways to improve efficiency and reduce cost of vehicle repair. This technology was used at the factory since 1960s. Afterwards in 1999 Carepoint was founded. Every car defect that bothered automobile owners was offered to be removed instantly with PDR technology. Repairs took only minutes or hours instead of days, saving time and money. It was the first company in Wolfsburg providing such services. In a while company became well-known and gained experience in PDR technology, which led to the opening of the training school and beginning of its own tool manufacturing. In 2006 Carepoint started its development in CIS countries and far abroad.

Carepoint today is not only car service and paintless dent removal company, but also tools

of high quality manufactured in Germany and internationally certified professional training. Large car manufacturers such as Volkswagen, Mercedes, Porsche, BMW trust our expertise. We also partner with different insurance companies and authorized dealers of top vehicle manufacturers.

Over last 20 years of successful work we removed huge amount of different dents and dings. Today we have more

than 50 technicians on staff, whose experience and feedback give us opportunity to constantly improve our tools and make them highly effective. While developing our equipment we seek to use leading technologies, therefore we participate in international exhibitions and forums regularly.

"In pursuit to be better" - Carepoint team.


General Manager Carepoint Vitaliy Shaban




EXAMPLE




Example:
812 L380mm/15"



L = Metal Part Length



WHALE TAILS WITH ADJUSTABLE HANDLE




360°

Carepoint 

Tip width: 70mm/2.8"

Material:
high carbon steel

- 372A L300mm/11,8"
- 373A L600mm/23,6"
- 374A L900mm/35,4"
- 375A L1200mm/47,2"
- 376A L1500mm/59"



NEW

WHALE TAILS WITH ADJUSTABLE HANDLE

Carepoint 


Tip width: 50mm/2"

Material: high carbon steel

- 352A L250mm/9,8"
- 353A L500mm/19,7"
- 354A L750mm/29,5"
- 355A L1000mm/39,4"
- 356A L1250mm/49,2"



360°



356 A 355 A 354 A 353 A 352 A

WHALE TAILS WITH ADJUSTABLE HANDLE

Carepoint 

Tip width: 40mm/1,6"

Material: high carbon steel


342A L200mm/7,9"

343A L400mm/15,7"

344A L600mm/23,6"

345A L800mm/31,5"

346A L1000mm/39,4"



346 A

345 A

344 A

343 A

342 A



WHALE TAILS WITH ADJUSTABLE HANDLE

Carepoint 

Tip width: 30mm/1,2"

Material: high carbon steel

333A L150mm/5,9in"

334A L300mm/11,8"

335A L450mm/17,7"


336A L600mm/23,6"

337A L750mm/29,5"

338A L900mm/35,4"

339A L1050mm/41,3"

339+A L1200mm/47,2"



339+ A

339 A

338 A

337 A

336 A

335 A

334 A

333 A



WHALE TAILS WITH ADJUSTABLE HANDLE

Carepoint 

Tip width: 20mm/0,8"

Material: high carbon steel

324A L250mm/9,8"

325A L375mm/14,8"


326A L500mm/19,7"

327A L625mm/24,6"

328A L750mm/29,5"

329A L875mm/34,5"

329+A L1000mm/39,4"



WHALE TAILS WITH ADJUSTABLE HANDLE

Carepoint 

Tip width: 12mm/0,5"

Material: high carbon steel

313A L300mm/11,8"

314A L400mm/15,7"

315A L500mm/19,7"

316A L600mm/23,6"

317A L700mm/27,5"



WHALE TAILS WITH FIXED HANDLE



Tip width: 70mm/2.8"

Material:

high carbon steel

371 L150mm/5,9"

372 L300mm/11,8"

373 L600mm/23,6"

374 L900mm/35,4"

375 L1200mm/47,2"

376 L1500mm/59"



WHALE TAILS WITH FIXED HANDLE



Tip width: 50mm/2"

Material:

high carbon steel

351 L125mm/4,9"


352 L250mm/9,8"

353 L500mm/19,7"

354 L750mm/29,5"


355 L1000mm/39,4"

356 L1250mm/49,2"




WHALE TAILS WITH FIXED HANDLE

Carepoint




WHALE TAILS WITH FIXED HANDLE

Carepoint



WHALE TAILS WITH FIXED HANDLE

Carepoint 




Tip width: 20mm/0,8"
Material: high carbon steel

- 321 L60mm/2"
- 322 L90mm/3,5"
- 323 L125mm/4,9"
- 324 L250mm/9,8"
- 325 L375mm/14,8"
- 326 L500mm/19,7"
- 327 L625mm/24,6"
- 328 L750mm/29,5"
- 329 L875mm/34,5"
- 329+ L1000mm/39,4"

WHALE TAILS WITH FIXED HANDLE

Carepoint 



Tip width: 12mm/0,5"
Material: high carbon steel

- 311 L100mm/4"
- 312 L200mm/7,9"
- 313 L300mm/11,8"
- 314 L400mm/15,7"
- 315 L500mm/19,7"
- 316 L600mm/23,6"
- 317 L700mm/27,5"

WHALE TAIL HAND TOOLS

Carepoint 

Tip width 12mm/0,5"
Material: high carbon steel




310-1 L60mm/2,3"
310-2 L90mm/3,5"
310-3 L120mm/4,7"
310-4 L150mm/5,9"
310-5 L180mm/7"



WHALE TAIL HAND TOOLS

Carepoint 

Tip width 20mm/0,8"
Material: high carbon steel



320-1 L60mm/2,3"
320-2 L90mm/3,5"
320-3 L120mm/4,7"
320-4 L150mm/5,9"
320-5 L180mm/7"




WHALE TAIL HAND TOOLS

Carepoint 

Tip width 30mm/1,2"
Material: high carbon steel

330-1 L60mm/2,3"
330-2 L90mm/3,5"
330-3 L120mm/4,7"
330-4 L150mm/5,9"
330-5 L180mm/7"




WIRE HAND TOOLS


Carepoint 

Ø -7mm/0,3"
Material: high carbon steel

30-1 L60mm/2,3"
30-2 L90mm/3,5"
30-3 L120mm/4,7"
30-4 L150mm/5,9"
30-5 L180mm/7"



ROD WITH ADJUSTABLE HANDLE




Ø 4mm/0,15"
Material: high carbon steel



ROD WITH ADJUSTABLE HANDLE

Carepoint 



Ø 4mm/0,15"
Material: high carbon steel

406 L 280 mm/11"



407 L 230 mm/9"




408 L 280 mm/11"



409 L 180 mm/7"



410 L 250 mm/9,8"



406



407



408



409



410

ROD WITH ADJUSTABLE HANDLE

Carepoint 



Ø 5mm/0,2"
Material: high carbon steel

501 L 230 mm/9"



501

502 L 230 mm/9"




502

503 L 330 mm/13"



503

504 L 380 mm/15"



504

505 L 330 mm/13"



505

506 L 280 mm/11"



506


ROD WITH ADJUSTABLE HANDLE



Ø 5mm/0,2"
Material: high carbon steel

Carepoint

507 L 280 mm/11"



508 L 280 mm/11"



509 L 330 mm/13"



510 L 330 mm/13"



511 L 380 mm/15"



512 L 230 mm/9"



513 L 300 mm/11,8"



ROD WITH ADJUSTABLE HANDLE



Ø 6mm/0,2"
Material: high carbon steel



601 L 180 mm/7"



601



602 L 430 mm/17"



602



603 L 330 mm/13"



603



604 L 430 mm/17"



604



605 L 380 mm/15"



605



606 L 480 mm/19"



606



607 L 330 mm/13"





607

ROD WITH ADJUSTABLE HANDLE

Carepoint 



Ø 6mm/0,2"
Material: high carbon steel



ROD WITH ADJUSTABLE HANDLE



Ø 7mm/0,3"
Material: high carbon steel

Carepoint 



701 L 480 mm/19"



701



702 L 630 mm/24,8"



702



703 L 530 mm/21"



703



704 L 430 mm/17"



704



705 L 580 mm/22,8"



705



706 L 430 mm/17"



706



707 L 480 mm/19"



707



708 L 530 mm/21"



708


ROD WITH ADJUSTABLE HANDLE

Carepoint 




Ø 7mm/0,3"
Material: high carbon steel


709 L 480 mm/19"




710 L 430 mm/17"



711 L 530 mm/21"




712 L 430 mm/17"



713 L 280 mm/11"



714 L 580 mm/22,8"



715 L 400 mm/15,7"




716 L 500 mm/19,7"



717 L 650 mm/25,5"



718 L 780 mm/30,7"



ROD WITH ADJUSTABLE HANDLE



Ø 8mm/0,3"
Material: high carbon steel

Carepoint 

801 L 730 mm/28,4"

802 L 530 mm/21"

803 L 880 mm/34,6"

804 L 680 mm/26,7"

805 L 580 mm/22,8"

806 L 530 mm/21"

807 L 630 mm/24,8"

801

802

803

804

805

806

807

ROD WITH ADJUSTABLE HANDLE



Ø 8mm/0,3"
Material: high carbon steel

Carepoint


808 L 630 mm/24,8"




809 L 580 mm/22,8"




810 L 630 mm/24,8"



811 L 430 mm/17"




812 L 380 mm/15"




813 L 330 mm/13"



814 L 600 mm/23,6"




815 L 600 mm/23,6"



816r L 600 mm/23,6"

817l L 600 mm/23,6"



808



809



810



811



812



813



814



816
817



815

ROD WITH ADJUSTABLE HANDLE

Carepoint 


Ø 9mm/0,35"
Material: high carbon steel



901 L 580 mm/22,8"




902 L 730 mm/28,4"




903 L 780 mm/30,7"



904 L 730 mm/28,4"



906 L 700 mm/27,5"



908 L 730 mm/28,4"




909 L 780 mm/30,7"



911 L 750 mm/29,5"



912 L 950 mm/37,4"




NEW




ROD WITH ADJUSTABLE HANDLE



Ø 10mm/0,4"
Material: high carbon steel



905 L 680 mm/26,7"



907 L 580 mm/22,8"




910 L 630 mm/24,8"




Ø 8mm/0,3"
Material: high carbon steel
Material of tip: fluoroplastic



851 L 600 mm/23,6"



852 L 400 mm/15,7"



853 L 580 mm/22,8"



905



907



910



851



852



853

ROD WITH ADJUSTABLE T-HANDLE

Carepoint 

410 T L 250 mm/9,8" Ø -4mm/0,15"



513 T L 300 mm/11,8" Ø -5mm/0,2"



615 T L 400 mm/15,7" Ø -6mm/0,2"



716 T L 500 mm/19,7" Ø -7mm/0,3"



815 T L 600 mm/23,6" Ø -8mm/0,3"



911 T L 750 mm/29,5" Ø -9mm/0,35"



912 T L 950 mm/37,4" Ø -10mm/0,4"



913 T L 1200 mm/47,2" Ø -10mm/0,4"



ROD WITH ADJUSTABLE T-HANDLE



407 T L 230 mm/9"

Ø -4mm/0,15"



508 T L 280 mm/11"

Ø -5mm/0,2"



606 T L 480 mm/19"

Ø -6mm/0,2"



807 T L 630 mm/24,8"

Ø -8mm/0,3"



809 T L 580 mm/22,8"

Ø -8mm/0,3"



909 T L 780 mm/30,7"

Ø -9mm/0,35"



704 T L 430 mm/17"

Ø -7mm/0,3"



Carepoint 

407 T

508 T

606 T

807 T


809 T

909 T

704 T

STANDARD TOOLS


UNIVERSAL RODS



HAIL ROD




DOOR HOOKS





STANDARD TOOLS

BRACE TOOLS



Carepoint


SPECIAL RODS



Carepoint

HOOD RODS

- 024** Hood rod (right) L 600 mm/23,6", Ø8 mm /0,3"
- 012** Hood rod (right) L 450 mm/17,7", Ø6 mm/0,2"
- 014** Hood rod (right) L 350 mm/13,8", Ø5 mm/0,2"
- 026** Hood rod (right) L 250 mm/9,8", Ø4 mm/0,15"




- 025** Hood rod (left) L 600 mm/23,6", Ø8 mm /0,3"
- 013** Hood rod (left) L 450 mm/17,7", Ø6 mm/0,2"
- 015** Hood rod (left) L 350 mm/13,8", Ø5 mm/0,2"
- 027** Hood rod (left) L 250 mm/9,8", Ø4 mm /0,15"

Carepoint

INTERCHANGEABLE TIP RODS

Material: Stainless steel



Material: Stainless steel



- 055 Assembly hail rod with tips,
L 250-2000 mm/9,8-78,8"
Ø16-20 mm/0,6-0,8"
1 Adjustable handle
1 Double end threaded tip 5/16, Ø16
1 Tip Assembly L 250 mm, Ø16 mm/0
1 Tip Assembly L 500 mm, Ø16 mm/0
1 Tip Assembly L 750 mm, Ø16 mm/0
1 Tip Assembly L 900 mm, Ø20 mm/C
1 Tip extension 209
1 Tip extension 210
1 Top >202
1 Top >201



Material: Stainless steel




056 Hail Interchangeable tip rod 5/16, L 600 mm/23,6", Ø 12 mm/0,5"

057 Hail Interchangeable tip rod 5/16, L 750 mm/29,5", Ø 12 mm/0,5"

058 Hail Interchangeable tip rod 5/16, L 900 mm/35,4", Ø 14 mm/0,5"


059 Hail rod for interchangeable tips 5/16, L 600 mm/23,6", Ø12 mm/0,5"

*sold with tip 201




SHAVED TOOLS


Material: high carbon steel




263 A L-850mm/33,5, width-6mm/0,2", thickness-3mm/0,12'




262 A L-600mm/23,6", width-6mm/0,2",
thickness-3mm/0,12'




261 A L-350mm/13,8",
width-6mm/0,2",
thickness-3mm/0,12'



273 A L-850mm/33,5, width-7mm/0,3", thickness-4mm/0,15"



272 A L-600mm/23,6", width-7mm/0,3",
thickness-4mm/0,15"



271 A L-350mm/13,8",
width-7mm/0,3",
thickness-4mm/0,15"



CARBON SERIES

Carepoint 

Cr1 Carbon hail rod

Material: Carbon fiber

Material of metal tip: stainless steel

Length: 1250mm/49"

Ø20mm/0,8", 470g



Carepoint 

Cr2 Carbon fiber 3-piece hail rod

Material: Carbon fiber

Material of metal tip: aluminum

Length: 1100mm/43,3", 700mm/27,5", 300mm/11,8"

Weight: 1600g

Total length: 2200mm/86,6"

Ø35mm/1,3"

- handle rotation 90°

- 4 operating positions



LIGHTING



LED Board LSB1 (hand pump)

**LED Board LSB1-AP
(automatic pump)***

The size of the light head:

Length: 370 mm/14,6"

Width: 125 mm/5"

Board Weight: 500g

Main characteristics:

Number of LED strips: 2

Length of flexible segment:
400 mm/15,8"

Material: plastic

Powered by:

LSB1 - 2 Makita

LSB1 - 3 Dewalt

LSB1 - 4 Milwaukee

* -Pump activates automatically once suction cup is pressed to car body.

- Lamp controller automatically starts pump to maintain vacuum in suction cup.



hand pump



automatic pump

LIGHTING



LED Board LSB2 (hand pump)

**LED Board LSB2-AP
(automatic pump)***

The size of the light head:

Length: 390 mm/15,3"

Width: 200 mm/7,9"

Board Weight: 750g

Main characteristics:

Number of LED strips: 3

Adjusting intensity of light:

Strips can be turned on and off independently

Material: plastic

Powered by:

LSB2 - 2 Makita

LSB2 - 3 Dewalt

LSB2 - 4 Milwaukee

- * - Pump activates automatically once suction cup is pressed to car body.
- Lamp controller automatically starts pump to maintain vacuum in suction cup.



hand pump



automatic pump

LIGHTING



LED Board LSB3 (hand pump)

**LED Board LSB3-AP
(automatic pump)***

The size of the light head:

Length: 520mm/19,6"

Width: 200mm/7,9"

Board Weight: 900g

Main characteristics:

Number of LED strips: 3

Length of flexible segment:

Material: plastic

Powered by:

LSB3 - 2 Makita

LSB3 - 3 Dawalt

LSB3 - 4 Milwaukee

* - Pump activates automatically once suction cup is pressed to car body.

- Lamp controller automatically starts pump to maintain vacuum in suction cup.



hand pump



automatic pump

Carepoint 

ACCESSORIES

GLUE TABS



6 Ø 16 mm/0,6"	10 15 x 15 mm/0,6 x 0,6"	14 28 x 28 mm / 1,1 x 1,1"	27 Ø12 mm/0,5"
7 Ø22 mm/0,9"	11 21 x 21 mm/ 0,8 x 0,8"	15 10 x 20 mm/ 0,4 x 0,8"	28 Ø16 mm/0,6"
8 Ø27 mm/1"	12 27 x 27 mm/ 1 x 1"	16 16 x 32 mm / 0,6 x 1,2"	30 Ø28 mm/1,1"
9 Ø32 mm/1,25"	13 22 x 22 mm / 0,9 x 0,9"	17 Ø40 mm/ 1,6"	31 Ø32 mm/1,2"



6 | 16 mm



7 | 22 mm



8 | 27 mm



9 | 32 mm



10 | 15 x 15 mm



11 | 21 x 21 mm



27 | 12 mm



28 | 16mm



12 | 27 x 27 mm



13 | 22 x 22 mm



14 | 28 x 28 mm



15 | 10 x 20 mm



16 | 16 x 32 mm



17 | 40 mm



30 | 28mm



31 | 32mm

GLUE

241 Glue sticks



S-HOOKS

222 S-hooks

Material: Stainless steel



PLASTIC WEDGE

218-1 Plastic wedge, L 215mm/8,5"



WOODEN WEDGE

218-2 Wooden wedge, L200mm/7,9"



ACCESSORIES

INTERCHANGEABLE TIPS



- 201 Interchangeable metal tip "SPHERE", 5/16
- 202 Interchangeable fluoroplastic tip "SPHERE", 5/16
- 203 Interchangeable rubber tip "SPHERE", 5/16

- 204 Interchangeable metal tip "CONE", 5/16
- 205 Interchangeable fluoroplastic tip "CONE", 5/16
- 206 Interchangeable rubber tip "CONE", 5/16

- 207 Interchangeable metal tip «CONE" sharp, 5/16
- 208 Interchangeable rubber tip «MUSHROOM», 5/16

- 209 Extension for Interchangeable rods 20mm/0,8", 5/16
- 210 Extension for Interchangeable rods 30mm/1,2", 5/16

- 215 Screw adapter for screw tips from M8 to 5/16
- 216 Screw adapter for screw tips from 5/16 to M8



INTERCHANGEABLE TITANIUM TIPS



Screwed on to titanium hammer or wooden hammer-handle for blending

- 231 Interchangeable titanium tip Ø6 mm/0,2"
- 232 Interchangeable titanium tip Ø12 mm/0,4"
- 233 Interchangeable titanium tip Ø18 mm/0,7"
- 234 Interchangeable titanium tip Ø24 mm/0,9"



ACCESSORIES

HAMMER

252 Hammer 5/16 L430mm/17",
Replaceable tip

Material: Stainless steel



*sold with tips 203, 233, 205, 208

Carepoint

HAMMER

252-1 Hammer with leather-covered
grip 5/16 L430mm/17"

Replaceable tip

Material: stainless steel



NEW

Carepoint

HAMMER HANDLE

255 Hammer-handle for changeable
tips 25X16mm L300mm/11,8"

256 Hammer-handle for changeable
tips 25X16mm L400mm/15,7"

257 Hammer-handle for changeable
tips 25X16mm L600mm/23,6"

Carepoint



NEW

HAMMER HANDLE

253 Titanium hammer
for interchangeable tips L430mm/17"



NEW

TITANIUM



Carepoint

SLIDE HAMMER

250 Slide hammer L-440mm/17", 1,150 g

Material: Stainless steel



SLIDE HAMMER

250-2 Slide hammer L-470mm/18,5", 1100 g

Material: Stainless steel



Carepoint

SLIDE HAMMER

250-1 Slide hammer L-470mm/18,5", 1500 g

Material: Stainless steel



Carepoint

ACCESSORIES

KNOCKDOWNS

- 211 Fluoroplastic knockdown L-120mm/4,7"
- 212 Plastic knockdown with titan tip, L-120mm/4,7"
- 213 Plastic knockdown with interchangeable tip, L-120mm/4,7"
- 214 Plastic knockdown with interchangeable tip, L-120mm/4,7 "
- 223 Fluoroplastic knockdown L120mm/4,7"



Carepoint

DOOR SHIELD

- 217 Window shield L 450x250mm /17,7x9,8"



Carepoint

KNOCKDOWNS

- 281 Beechwood knockdown paddle w/leather grip L340mm/13"
- 282 Beechwood knockdown paddle w/leather grip L370mm/14,5"
- 283 Beechwood knockdown paddle w/leather grip L390mm/15"
- 285 Redwood knockdown paddle w/leather grip L340mm/13"
- 286 Redwood knockdown paddle w/leather grip L370mm/14,5"
- 287 Redwood knockdown paddle w/leather grip L390mm/15"



Carepoint

ACCESSORIES

DOOR STRAP

219 Door strap

Material: Plastic / steel



Carepoint

CARBON SERIES

219-1 Door strap

Material: Wood / carbon



Carepoint

ALUMINUM HOOD PROP

220 Aluminum Hood Prop
L 370-610 mm/ 14,6-24"

Material: Aluminum



Carepoint

ROPE RATCHET

221 Rope Ratchet 1/8"



Carepoint

FLAT BAR



TITANIUM


290 Flat bar with titanium tip,
40X670X5 mm/1,6"X26",5/16

Material:stainless steel

Carepoint

PDR TOOL SETS


Set of rods with adjustable T-handle



410 T	L 250 mm/9,8"	Ø -4mm/0,15"
513 T	L 300 mm/11,8"	Ø -5mm/0,2"
615 T	L 400 mm/15,7"	Ø -6mm/0,2"
716 T	L 500 mm/19,7"	Ø -7mm/0,3"
815 T	L 600 mm/23,6"	Ø -8mm/0,3"
911 T	L 750 mm/29,5"	Ø -9mm/0,35"
912 T	L 950 mm/37,4"	Ø -10mm/0,4"
913 T	L 1200 mm/47,2"	Ø -10mm/0,4"

PDR TOOL SETS

Set of rods with adjustable handle



410	L 250 mm/9,8"	Ø -4mm/0,15"
513	L 300 mm/11,8"	Ø -5mm/0,2"
615	L 400 mm/15,7"	Ø -6mm/0,2"
716	L 500 mm/19,7"	Ø -7mm/0,3"
815	L 600 mm/23,6"	Ø -8mm/0,3"
911	L 750 mm/29,5"	Ø -9mm/0,35"
912	L 950 mm/37,4"	Ø -10mm/0,4"

PDR TOOL SETS

Set of 30 pieces (SKU#303)

Material: high carbon steel



003 Door hook
L 400 mm/15,7", 07 mm/0,3"

004 Door hook
L 300 mm /11,8",
Ø6 mm/0,2"

005 Straight brace tool
L 450 mm/17,7", 08 mm/0,3"

006 Straight brace tool
L 300 mm /11,8", 0 6 mm/0,2"

007 Straight brace tool
L 450 mm/17,7", 08 mm/0,3"

326 Whale Tail
L 500 mm/19,7",
tip width 20 mm/0,8"

010 Special rod
L 450 mm/17,7", 05 mm/0,2"

012 Hood rod (right)
L 450 mm/17,7", 06 mm/0,2"

014 Hood rod (right)
L 350 mm/13,8", 05 mm/0,2"

016 Door hook (right)
L 450 mm/17,7", 0 6 mm/0,2"

019 Hail rod L 900 mm/35,4",
014 mm/0,5"
Material: stainless steel

057 Hail interchangeable tip rod
L 750 mm/29,5", 012 mm/0,55"
Material: stainless steel


023 Special rod
L 100 mm/3,9", 07 mm /0,3"

024 Hood rod (right)
L 600 mm/23,6", 08 mm /0,3"


026 Hood rod (right)
L 250 mm/9,8", 04 mm/0,15"

332 Whale Tail L 110 mm/4,3",
tip width 30mm/1,2"

337 Whale Tail L 750 mm
tip width 30mm/1,2"



PDR TOOL SETS



CONTENTS



Whale tails with adjustable handle..... 2

Whale tails with fixed handle..... 5

Whale tails hand tools..... 8



Wire hand tools..... 9



Rod with adjustable handle..... 10

Rod with adjustable T-handle..... 22



Standard tools..... 24



Interchangeable tip rods..... 26



Shaved tools..... 27



Carbon series..... 28



Lighting..... 29



Accessories..... 32

PDR TOOL SETS..... 37